

# 12v Applicator Sprayers 2018



40 gal. 6" x 18" wheels  
10' booms



25 gal. 4" x 16" wheels  
10' booms



15gal Shielded,  
nozzles included



15gal. Carry around

**Base unit, add pump, and optional handgun, hose, or booms.**

- F15LG 15 gallon trailer, 4"x16" wheels
- F25LG 25 gallon trailer, 4"x16" wheels
- F40LG 40 gallon trailer, 6"x18" wheels
- F60LG 60 gallon trailer, 6"x18" wheels
- F15cart 15 gallon 3 wheel cart, 10"&16" wheels
- F25cart 25 gallon 3 wheel cart, 10"&16" wheels
- F15wba 15 gallon wheelbarrow
- F15SH 15 gallon shielded
- F15 ca 15 gallon carry around
- F25 ca 25 gallon carry around
- F15app 15 gallon applicator, includes 2.2gpm pump, 2 sets nozzles
- F25app 25 gallon applicator includes 2.2gpm pump, 2 sets nozzles
- F25app12v 25 gallon applicator includes 2.2gpm pump, 2 nozzles with 12 volt control

## Pumps

- P12v2 2.2gpm, 45psi
- P12v4 4.8gpm, 45psi
- P12v7 7gpm, 120psi

## Booms

- B10M 10' w/ 5 blue tips @ 30"
- NozBL Boomless nozzle, 12'w
- B2x4 2, 48" booms w/ 6 tips

## Handguns

- HGar heavy duty, adj spray
- HGpo light duty

## Hose per ft

- HO38ep 3/8 EPDM hose
- HO12ep 1/2 EPDM hose
- HO38pvc 3/8 PVC hose
- HO12pvc 1/2 PVC hose
- HRN Hose reel, holds 50 ft




15gal. Wheelbarrow  
2x4 booms



# Startup owners manual

## Single boom 55 gallon produce sprayer



1. 3pt hitch cat#1, fits quick hitch.
2. Suction filter needs to be cleaned every day. Close the valve to shut off water.
3. Master Valve, Up to agitate and to the left to spray.
4. Pressure gauge, adjust by turning the T handle on the relief valve.(4)  
Check with the tip calibration chart to confirm the correct pressure.
5. Boom fold stop, move for desired transport height.
6. Boom level adjustment.
7. Check pump oil level.
8. Retract legs after it is hooked to the 3pt.

To winterize sprayer, flush 2 times with clean water. Drain, & put 3 gallon sprayer antifreeze in tank, use all functions, then drain.

1 year limited warranty applies to all Iva Manufacturing workmanship.



**Enjoy the great outdoors while raising healthy chickens, turkeys, and other poultry.**

**Foxes, coons, and stray dogs will have lunch elsewhere!!!!**

Our grazing pens are designed to be portable & lightweight, w/ low peak height to endure windy conditions. A rollup handle on the tarp allows easy access over the side. Moving is done quickly by raising the lift handle ( approx. 50lb) on one end which lowers the wheels on the other end via an attached cable.

Constructed of 2" tubing and 1x2" wire, all galvanized. A welded frame with heavy duty poly ties to attach the wire. The cover tarp is 10oz material, w/ 10yr life expectancy.

After initial setup, the pen can be assembled in 15 min. using only a 5/16 nut driver.

**Options include,**

Water systems w/ a 5 gallon bucket mounted on the outside, supplying a Bell Waterer.

22lb hanging feeder

2'x12' side panel, (wind protection)

Rollaway nestbox

**Sizes available**

6'x8' - 32 broilers

10'x12' - 80 broilers

12'x12' - 100 broilers

